

VOX



RIGIO. RIGID CORE FLOORING

Product presentation

2022





RIGIO. A FLOOR RESISTANT TO ANYTHING

Rigio is the result of a new way of thinking about floors. It is a technologically advanced solution which will work in any interior.


To make the use of the Rigio floor even more comfortable all the decors are available also with integrated underlay (Silent Rigio).

Thickness with no underlay: 5 mm

Thickness with integrated underlay: 6,5 mm



10 LAYERS READY FOR THE CHALLENGE



RIGIO. WARRANTY OF QUALITY

- The high quality and durability of the Rigio floor is also guaranteed by a high-class lock in patented technology




KEY FEATURES



WATERPROOF




IMPACT
RESISTANT



TEMPERATURE
RESISTANT



STAIN
RESISTANT



UNDERFLOOR
HEATING



20 YEARS
OF WARRANTY



L2C LOCK
UNILIN




PAINTED
V-BEVEL



QUIET
FLOOR



COMFORT
OF WALKING



INTEGRATED
UNDERLAY



SLIPPERINESS

MOST IMPORTANT RIGIO FLOOR PARAMETERS

| Total thickness | 5 mm | 6,5 mm (5 mm +1,5 mm IXPE) |
|-----------------------------|--|--|
| Thickness of the wear layer | 0,55 mm | 0,55 mm |
| Dimensions | 5x1220x229 mm 5x300x600 mm | 6,5x1220x229 mm 6,5x300x600 mm |
| European classification | 42 | 42 |
| Lock | L2C UNILIN PATENTED TECHNOLOGY AA 0734000000 | L2C UNILIN PATENTED TECHNOLOGY AA 0734000000 |
| Packaging | 2,235 m ² (1220x229) 8 tiles 1,8 m ² (300 x 600) 10 tiles | 2,235 m ² (1220x229) 8 tiles 1,8 m ² (300 x 600) 10 tiles |
| Thermal conductivity | 0,0154 m ² K/W EN 14041:2004/AC:2006 | 0,031 m ² K/W EN 14041:2004/AC:2006 |
| Floor heating | T <27 C | T <27 C |
| Reaction to fire | Bf1-S1 EN 14041:2004/AC:2006 | Bf1-S1 EN 14041:2004/AC:2006 |
| Formaldehyde emission | E1 EN14041:2004/AC:2006 | E1 EN14041:2004/AC:2006 |
| Slipperiness | R9 | R9 |
| CE | CE 210226008SHF-VOC001 | CE 210226008SHF-VOC001 |
| Dimensional stability | < 0,05 % | < 0,05 % |
| Warranty residential use | 20 years | 20 years |

RIGIO. EXCELLENT DESIGN

- The perfect reproduction of the colour and structure of wood and concrete, the two-stage application of the varnish and the matt finish make Rigio naturally beautiful. Thanks to special embossing technology and the use of 4 side painted bevel, the wood-like panels resemble authentic boards even more.



RIGIO. WHAT CAN THIS FLOOR DO?

- WATER-RESISTANCE: the rigid core floor can even be laid in the bathroom! Direct contact with water and high humidity levels do not affect its parameters.
- DIMENSIONAL AND COLOUR STABILITY: the rigid core and fibreglass layers guarantee dimensional stability regardless of the ambient temperature, and the UV resistant decorative layers – a colour that will not change over the years
- DURABILITY: resistance to impact, scratches and other mechanical damage unprecedented in any floor category.




RIGIO. WHAT CAN THIS FLOOR DO?

- STAIN RESISTANCE: Rigio is resistant to substances that can cause permanent staining, and is easy to clean.
- THERMAL COMFORT: Walking barefoot on this floor is a pleasant experience. It can also easily and conveniently be used for playing on – the materials it is made of are warm to the touch. And if you need more heat, you can make your dream of underfloor heating come true thanks to Rigio's low heat resistance.
- INSTALLATION WITHOUT EXPANSION JOINTS: allows you to lay a uniform floor throughout the house.



WOOD EFFECT


1220 x 229 mm



OAK HYPERIO

SAP NUMBER 5 mm: 6056102

SAP NUMBER 6,5 mm: 6056123



OAK NIKER


SAP NUMBER 5 mm: 6056101

SAP NUMBER 6,5 mm: 6056123

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

WOOD EFFECT


1220 x 229 mm



OAK EURIS

SAP NUMBER 5 mm: 6056108

SAP NUMBER 6,5 mm: 6056128



OAK PALLAR

SAP NUMBER 5 mm: 6056105

SAP NUMBER 6,5 mm: 6056126

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

WOOD EFFECT


1220 x 229 mm



OAK BORE

SAP NUMBER 5 mm: 6056107

SAP NUMBER 6,5 mm: 6056127



OAK KOTTO


SAP NUMBER 5 mm: 6056103

SAP NUMBER 6,5 mm: 6056124

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

WOOD EFFECT

1220 x 229 mm



OAK PRIAR

SAP NUMBER 5 mm: 6056111

SAP NUMBER 6,5 mm: 6056131



OAK APPO


SAP NUMBER 5 mm: 6056110

SAP NUMBER 6,5 mm: 6056130

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

WOOD EFFECT


1220 x 229 mm



OAK HERME

SAP NUMBER 5 mm: 6056087

SAP NUMBER 6,5 mm: 6056118



OAK LUNAR


SAP NUMBER 5 mm: 6056109

SAP NUMBER 6,5 mm: 6056129

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

WOOD EFFECT

1220 x 229 mm



OAK DEMES

SAP NUMBER 5 mm: 6056100

SAP NUMBER 6,5 mm: 6056120



OAK LETA

SAP NUMBER 5 mm: 6056104

SAP NUMBER 6,5 mm: 6056125

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

CONCRETE EFFECT

300 x 600 mm



CONCRETE LIGHT

SAP NUMBER 5 mm: 6056112


SAP NUMBER 6,5 mm: 6056132



CONCRETE GROUND

SAP NUMBER 5 mm: 6056117

SAP NUMBER 6,5 mm: 6056134



CONCRETE DARK

SAP NUMBER 5 mm: 6056115

SAP NUMBER 6,5 mm: 6056133

Presented colours are illustrative and may differ from the original colour of the Rigio floor.

LOGISTICS

WOOD EFFECT 5 MM / 6,5 MM:

no of panels in a box: 8 pcs / 8 pcs

m² /box: 2,235 / 2, 235

dimensions of a box: 46x241x1237 mm /57x241x1237 mm

gross weight: 23,2 kg /23,3 kg

CONCRETE EFFECT 5 MM / 6,5 MM:

no of panels in a box: 10 pcs / 10 pcs

m² /box: 1,8 / 1,8

dimensions of a box: 57x614x310 mm / 70x614x310 mm

gross weight: 18,75 kg / 18,85 kg



SAMPLES



3028537 PRÓBKA VOX RIGIO 2022_15 DEKORÓW_UNI

The sample consists of 2 fans:

Fan 1/2 contains 7 decors with wood effect: 1 decor with integrated underlay + 6 decors without underlay.

Fan 2/2 contains 8 decors: 5 decors with wood effect & 3 decors with concrete effect – all decors without underlay.

FLOOR SYSTEM

In VOX we think globally about the interiors, which is why we created the flooring system including high quality products that match our floors – check our skirting boards and underlays.

ESP101




ESP201



ESP301



ESP401




ESP501




- ESPUMO skirting board collection
- Extremely durable skirting boards perfect even in the most demanding rooms (bathroom, kitchen, hall)
- Espumo skirting boards allow to hide electric wires


ESP202




ESP203




ESP205



ESP406



ESP506



IMPACT
RESISTANT



WATERPROOF



GLUE
INSTALLATION


FLOOR SYSTEM

In VOX we think globally about the interiors, which is why we created the flooring system including high quality products that match our floors – check our skirting boards and underlays.


VOX MAX-POD ALU EXTREME



VILO ALU MULTI FORCE



VILO RIGID MASTER



THANK YOU